

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

1.1 COMPANY IDENTIFICATION

Company's Name: Trulux Pty Ltd
Email address: info@trulux.com.au
Website: www.trulux.com.au
Contact number: +61 (02) 9975 2655
Address: C3/ 1-3 Rodborough Rd, Frenchs Forest NSW 2086 Australia

1.2 PRODUCT IDENTIFICATION

Trade name: Carnauba Wax
Reference number: RMTR-0164A
Classification: Refer to clause 2

1.3 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Identified uses: Raw Material
Uses advised against: No further information available.

1.4 DETAILS OF THE SUPPLIER OF THE SUBSTANCE INFORMATION SHEET

Supplier's Company: Trulux Pty Ltd
Website: www.trulux.com.au
Address: C3/ 1-3 Rodborough Rd, Frenchs Forest NSW 2086 Australia

Trade Name: Carnauba Wax
TR Ref. Number: RMTR-0164A

Doc: RMSDS - Carnauba Wax
Rev.: 02
Rev. Date: 03/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

1.5 EMERGENCY CONTACTS – INSTITUTIONAL CENTRES

Australia

Poisons Information Centre 13 11 26

2 HAZARDS IDENTIFICATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

Based on available information, not classified as hazardous according to Safe Work Australia;
NON-HAZARDOUS CHEMICAL.

Poisons Schedule (SUSMP): None allocated.

3 COMPOSITION/ INFORMATION ON INGREDIENTS

Components	CAS Number	Concentration (%)
Carnauba wax	8015-86-9	100

4 FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

Inhalation:

Remove victim from area of exposure - avoid becoming a casualty.
Remove contaminated clothing and loosen remaining clothing.
Allow patient to assume most comfortable position and keep warm.

Trade Name: Carnauba Wax

TR Ref. Number: RMTR-0164A

Doc: RMSDS - Carnauba Wax

Rev.: 02

Rev. Date: 03/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

	Keep at rest until fully recovered. Seek medical advice if effects persist.
Ingestion:	Rinse mouth with water. If swallowed, give a glass of water to drink. If vomiting occurs give further water. Seek medical advice. If molten material is swallowed, seek immediate medical attention.
Skin contact:	If skin or hair contact occurs, remove contaminated clothing and wash skin and hair with soap and water. If irritation occurs seek medical advice. If molten material should contact the skin and adhere, cool quickly with running water - do not attempt to remove. Seek immediate medical assistance.
Eye contact:	If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre or a doctor, or for at least 15 minutes. For contact with the molten material treat as for skin burns.

Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

5 FIRE FIGHTING MEASURES

Suitable extinguishing media:	Fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).
Special hazards arising from chemical:	Combustible solid. On burning will emit toxic fumes, including those of oxides carbon and oxides of nitrogen.

Trade Name: Carnauba Wax
TR Ref. Number: RMTR-0164A

Doc: RMSDS - Carnauba Wax
Rev.: 02
Rev. Date: 03/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

Advice for firefighters	Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion. Keep containers cool with water spray. Can melt and flow in a fire situation.
-------------------------	--

6 ACCIDENTAL RELEASE MEASURES

Environmental precautions:	Shut off all possible sources of ignition. Clear area of all unprotected personnel. If contamination of sewers or waterways has occurred advise local emergency services.
Methods and materials for containment and cleaning up:	Wear protective equipment to prevent skin and eye contact and breathing in dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal. For the molten material: Contain - prevent run off into drains and waterways. Allow material to solidify.

7 HANDLING AND STORAGE

Precautions for safe handling:	Avoid skin and eye contact and breathing in dust. Avoid handling which leads to dust formation. In common with many organic chemicals, may form flammable dust clouds in air. For precautions necessary refer to Safety Data Sheet "Dust Explosion Hazards". Take precautionary measures against static discharges.
--------------------------------	---

Trade Name: Carnauba Wax

TR Ref. Number: RMTR-0164A

Doc: RMSDS - Carnauba Wax

Rev.: 02

Rev. Date: 03/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for spills.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control Parameters

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for particulates:

Dusts not otherwise classified: 8hr TWA = 10 mg/m³

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls:

Ensure ventilation is adequate to maintain air concentrations below Workplace Exposure Standards. Avoid generating and breathing in dusts. Molten material should be used in a well ventilated area. Keep containers closed when not in use.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk

Trade Name: Carnauba Wax

TR Ref. Number: RMTR-0164A

Doc: RMSDS - Carnauba Wax

Rev.: 02

Rev. Date: 03/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual Protection Measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, DUST MASK.

Wear overalls, safety glasses and impervious gloves. Avoid generating and inhaling dusts. If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State:	Powder or Flakes
Colour:	White to Light Yellow to Brown
Odour:	Odourless to Slight Characteristic
Flash Point:	≥ 310 °C
Melting Point / Range:	80 - 86 °C
Water solubility:	Insoluble in water.
Specific Gravity:	0.960 - 1.002

10 STABILITY AND REACTIVITY

Chemical Stability:	This material is chemically stable.
Possibility of Hazardous Reactions:	Hazardous polymerisation will not occur.

Trade Name: Carnauba Wax

TR Ref. Number: RMTR-0164A

Doc: RMSDS - Carnauba Wax

Rev.: 02

Rev. Date: 03/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

Conditions to Avoid:	Avoid exposure to heat, sources of ignition, and open flame. Avoid dust generation.
----------------------	--

Incompatible Materials:	Incompatible with strong oxidising agents.
-------------------------	--

Hazardous Decomposition Products:	Oxides of carbon. Oxides of nitrogen.
-----------------------------------	---------------------------------------

11 TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion:	No adverse effects expected, however, large amounts may cause nausea and vomiting. The hot material can cause thermal burns.
------------	--

Eye Contact:	Exposure to the dust may cause discomfort due to particulate nature. May cause physical irritation to the eyes. Vapour released during hot processing may cause irritation. Contact with the hot material can result in pain, thermal burns, and permanent injury.
--------------	--

Skin Contact:	Repeated or prolonged skin contact may lead to irritation. Contact with molten material may cause skin burns.
---------------	---

Inhalation:	Breathing in dust may result in respiratory irritation. When heated, vapours may irritate the mucous membranes.
-------------	---

Acute toxicity:	No LD50 data available for the product.
-----------------	---

Skin corrosion/irritation:	May cause mechanical irritation.
----------------------------	----------------------------------

Serious eye damage/irritation:	May cause mechanical irritation.
--------------------------------	----------------------------------

Aspiration hazard:	Not classified.
--------------------	-----------------

Trade Name: Carnauba Wax

TR Ref. Number: RMTR-0164A

Doc: RMSDS - Carnauba Wax

Rev.: 02

Rev. Date: 03/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

12 ECOLOGICAL INFORMATION

Ecotoxicity: Avoid contaminating waterways.

Persistence/degradability: This product is readily biodegradable.

Bioaccumulative potential: Not expected to bioaccumulate.

13 DISPOSAL CONSIDERATIONS

Disposal Methods: Refer to Waste Management Authority. Dispose of contents and container in accordance with local, regional, national, international regulations.

14 TRANSPORT INFORMATION

Road and Rail Transport

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

Trade Name: Carnauba Wax

TR Ref. Number: RMTR-0164A

Doc: RMSDS - Carnauba Wax

Rev.: 02

Rev. Date: 03/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

15 REGULATORY AND OTHER INFORMATION

Safety, health and environmental regulations specific for the mixture or substance:

Classification:

Based on available information, not classified as hazardous according to Safe Work Australia;
NON-HAZARDOUS CHEMICAL.

Poisons Schedule (SUSMP): None allocated.

This material is listed on the Australian Inventory of Chemical Substances (AICS).

16 OTHER INFORMATION

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition or other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. This sheet completes the technical sheets but it does not replace them. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied is made and Trulux Pty Ltd assumes no legal responsibility or liability whatsoever resulting from its use. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. This listing must not be considered exhaustive. It does exempt the user from ensuring that other legal obligations than those mentioned do not exist, relating to the use and storage of the product for which he solely is responsible. The information and recommendations contained herein are to the best of the manufacturer's knowledge and belief accurate and reliable as of the date indicated. No representation warranty or guarantee, however, is made with regard to accuracy, reliability or completeness. Conditions of use of the material are under the control of the user; therefore, it is the user's responsibility to satisfy itself as to the suitability and completeness of such information for its own particular use.

Trade Name: Carnauba Wax

TR Ref. Number: RMTR-0164A

Doc: RMSDS - Carnauba Wax

Rev.: 02

Rev. Date: 03/12/2021